Dart Aerospace Ltd. Friday, 12/21/2007 7:27:09 AM DateKim Johnston User: **Process Sheet** : CLAMP **Drawing Name** Customer : CU-DAR001 Dart Helicopters Services Job Number : 36508 **Estimate Number** : 10267 Part Number : D2438 P.O. Number - D2438 REV. C : 12/21/2007 S.O. No. : **Drawing Number** This Issue : NC : N/A Prsht Rev. Project Number : 11 : PURCHASED PARTS : C First Issue Type **Drawing Revision** : 36027 Material Previous Run : 1/20/2008 200 Um: Each Qty: **Due Date** Written By Checked & Approved By : Est: É 65.06.28 KJ/JLM Comment Bending removed **Additional Product** Job Number: Machine Or Operation: Description: Seq. #: 1.0 PG **PURCHASING** Comment: PURCHASING (207/12/21 Issue P/O: Laser cut as per Dwg D2438 Material release note is required 2.0 D2438B Clamp Comment: Qty.: 1.0000 Each(s)/Unit Total : 200.0000 Each(s) **CLAMP** 3.0 PACKAGING : PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Recieive & Inspect for Transit Damage Ensure Material Release Note is attached 4.0 QC6 aspoin Comment: DIMENSIONAL CHECK Inspect dimensions as per Dwg D2438 (6.786" center to center) 5.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Tumble & Deburr any rough edges

Dart Aerospace Ltd

| W/O: | | | WO | RK ORDER CHAN | GES | _ | | · | | |
|---------|------|--------------------------------|----------------------|--|-----|---------------|------------------|---------|-------------------------------|--------------------------|
| DATE | STEP | PRO | OCEDURE CHAI | NGE | В | у | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Part No | : | PAR #: | Fault Categ | ory: | | | | • | Date: <u></u> | - |
| NCR: | | | WORK ORDE | R NON-CONFORM | | | | | Date | |
| DATE | STEP | Description of NC Section A | Initial Chief Eng | Corrective Action Sec Action Description Chief Eng | | ign & Date | Verific Secti | | Approval Chief Eng | Approval QC Inspector |
| | · | | | Office Eng | • | | | | | |
| | | | | | | | | | | |
| | | | | | | • | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | : |
| | | | | | | | | | | . ! |

NOTE: Date & initial all entries

Friday, 12/21/2007 7:27:09 AM Date: User: Kim Johnston **Process Sheet** · Customer: CU-DAR001 Dart Helicopters Services Drawing Name: CLAMP Job Number: 36508 Part Number: D2438 Job Number: Seq. #: Description: Machine Or Operation: INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 456 8.0 200 Comment: FINAL INSPECTION/W/O RELEASE Job Completion CL08/01/31

| Dart Ae | rospace | e Ltd | | | | | | |
|---------|---------|-------------------|----------------------|------------------------------|----------------|--------------|-------------------------------------|--------------------------|
| W/O: | | | V | VORK ORDER CHANGES | 3 | | | |
| DATE | STEP | PRO | OCEDURE CH | ANGE | Ву | Date Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Part No | : | PAR #: | Fault Ca | tegory: | NCR: Yes | No DQA: | Date: _ | |
| | | + | | | QA: N | I/C Closed: | Date: _ | |
| NCR: | | | WORK OR | DER NON-CONFORMAN | CE (NCF | ₹) | | |
| V6 13 | | Description of NC | | Corrective Action Section B | | Verification | Approval | Approval |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign 8 Date | Section C | Chief Eng | QC Inspector |
| | | | | | | | | |

| NCR: | | | WORK ORD | ER NON-CONFORMANO | E (NCR) | | | |
|------|-------|-------------------|----------------------|------------------------------|----------------|--------------|-----------|-------------------------|
| 4.1 | | Description of NC | | Corrective Action Section B | | Verification | Approval | Approval |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Chief Eng | Approval QC Inspecto |
| # | | | | | | | | |
| | : | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| * | 2.6.6 | | | | | | | 4 |
| | | | | | | | ė. | |
| · | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | -2 |
| | | | | | | | | |
| | | * | | | | | | • |
| | | | | | | | | |


NOTE: Date & initial all entries






| DESIG | 1/5 | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
|-------|--------|----------|---|-----|
| CHECK | KED AL | APPROVED | DRAWING NO. REV | . c |
| | MW | 14 | D2438 SHEET 1 0 | F 1 |
| DATE | | | TITLE SC | ALE |
| 98.0 | 05.12 | | CLAMP | 1:1 |
| Α | | 96.01.24 | NEW ISSUE | |
| В | | 96.05.13 | CHANGE LENGTH | |
| С | | 98.05.12 | R1.64 WAS R1.438, CHANGE GEOMETR | Υ |

RELEASED 48.06.17 KB





FLAT LENGTH: 7.586 END-END

6.786 HOLE-HOLE

SUBJECT TO AMENDMENT

WITHOUT NOTICE

MATERIAL: AISI 304/316 SS 0.063 THICK

MINIMUM REQUIREMENT IS ANNEALED CONDITION

00.06.06 (P 00.06.07



180 AVENUE LABROSSE POINTE-CLAIRE, QUÉ., CANADA H9R 1A1 TÉL.: (514) 630-4877 - FAX: (514) 630-4849

GIT Lest une division de Thomas & Betts Fabrication Inc. / GFI is a division of Thomas & Betts Manufacturing Inc.

VI NI)U À / SOLD TO

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON, K6A 1K7



BONDELIVRAISON-SHIPPING MENIC

| DATE DE LIVRAISON SHIPPING DATE | N° BON DE LIVRAISON SHIPPING MEMO NO. |
|------------------------------------|--|
| 2008/01/17 | 0383091 |

EXPÉDIÉ À I SHIPPED TO

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON, K6A 1K7

| CODE DE CLIENT CUSTOMER CODE | N° DE CONTRAT JOB NO. | | VIA SHIPI W. |
|---|--------------------------|--------------|-----------------|
| DART GFI-0299 | J0174204 | (PO00005336) | |
| QUANTITÉ VOTRE № DE F QUANTITY YOUR PART | PIÈCE NO | DESCRIPTION | |
| | | | |
| | | | |
| | | | |

TOUTES LES RÉCLAMATIONS DOIVENT ÊTRE FAITES EN DEDANS DE 5 JOURS: DE LA RÉCE⊇TION ALL CLAIMS MUST BE MADE WITHIN 5 DAYS OF RECEIPT OF GOODS.

CERTIFICATE OF COMPLIANCE CERTIFICAT DE CONFORMITE



180 LABROSSE AVENUE POINTE CLAIRE, QC H9R 1A1

DATE 17 JANUARY 2008

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

| M QUANTITY PURCHASE ORDER PART NUMBER 200 PCS PO00005336 D02438B | NAME C CLAMP | DWG ISSUE |
|---|-------------------------|----------------|
| MATERIAL SUPPLIED BY S.S.T 304 TW METALS / NORTH AM | | REL. NO. |
| PROCESS FIRST ARTICLE INSPECTION REPORT ON FILE | PROCESSOR GFI | release note # |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| A | | |

G.F.I. Q.C. REP. Caltar A

| | | • | |
|-----|--|---|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| (4) | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | * |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| • | | | |
| • | | | |
| | | | |
| | | | |

DP 12-D01-72-V-C-Bombardier Cerificate of Compliance

TW Metals District Procedure

Revision: 0

Revision Date: 04-03-00

Superseding: Initial

Page: 1 of 1

CERTIFICATE OF COMPLIANCE

FRAUD AND EAL SIFICATION STATEMENT

The recording of false, fictious, or frauditient statements of entries on this document may be punished as a telony under tederal statutes including federal law. Tille 18 chapter 47.

CERTIFICATE OF COMPLIANCE

This certificate of compliance certifies that the material supplied on the purchase order number below complies in all respects with the material description and procurement specifications.

MERCURY FREE STATEMENT

We certify that mercury, radium, or alpha bearing instruments and / or equipment which might cause contamination have not been used in the manufacture, tabrication, assembly or testing of any material supplied by TW Metals Inc. Switches, glass thermometers, standard cell and other items containing the above elements may be used, but they will be located so as not to constitute a contamination hazard.

| CUSTOMER NAME GFI |
|--|
| PURCHASE ORDER No |
| TEM NO |
| MATERIAL 304-28. SPECIFICATION ASTM A262 |
| MANUFACTURING MILL: Worth American Stainless |
| SIZE HEAT/LOT No. 2 MW9 |
| PART NO. \$506348K964DUANTITY 3 EA. |
| TEST DEPARTMENT CLERK Savior Clark |
| |

AUTHORITY

Joe Schab

Director of Quality Assurance

nis-document is maintained as a Controlled Discortant only in the TW-Motals computer system. Once primed, this decument immediately becomes Uncontrolled and is subject to change at any time and without notice.

Brad Botter

X. Cc.

FERGUSON METALS, INC.
This is to certify that in accordance with the records in our files the naterial shipped on you purchase order conforms to the fallowing.
3475 Symmes Read Henriton, OH 4503

36 X 96 P.O.: 49180040 Saleya: 01098014 QTY: 8

Size: 304/LANN .060-.064 AM55513 Customer: Tw METALS INC. Heat: 2MW9 Shipped: 09/04/07 .0617 NORTH AMERICAN STAINLESS

METALLURGICAL TEST REPORT

6870 Highway 42 East Ghent, KY 41045-9615 (502) 347-6000

Cortificate: 355147 02 M

Meil To: Precusor metals inc. 1475 STRONG ROAD HANDLEON, OR 45015

Ship to: Frederic Herals Inc. 1475 Frenze Boad Hamilton, on 45015

Date: 7/11/2007 Page: 1

Corrosion: ASTM A262/03aE; leusend-ok

Steel: 302/304/304L

Your Order: 01010133

Customar: 0018 001

MAS Order: AN 0373673 01

Finish: 29

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, COLD ROLLED, ANNEALED AND PICKIND.
ASSMA240/05b,480/05b,666/03,ASMESA240/04-A05,480/04-A05,SA666/04
QQS766D-AXMG PRM, AMS55118/55138/5516P, AMUJ,X CRMN WERS

REMARKS:
Mat'l Frac of Mercury Contamination. No weld repairs.

EN 10204 3.1; QQS753F Cond A; Ross Compliant be Welted a Manufactured in the USA

| Sout | CM | C | CR | CO | FIN | MO | Ŋ | (United State | | | | |
|-----------------|------|--------|-------|------|------------|---------|--|--|--------------|--------------|------|---------------|
| MY9 | SU | .025 1 | 8,329 | .298 | | -311 | | 8.113 | .026 < | .001 | .332 | TW METAL |
| | | | | | | | | | | | | |
| MCHA | NIC | AL P | ROPE | RTI | - | | Marketon in the latest | ************************************** | | | • | SEP 14 7337 P |
| ACHA Product | ID # | AL P | 1 | RTI | - | . ZV VS | ELONG %-2" | Hard RB | Tail Sard | Grain No. | | 18 / RI |

REVIEWED BY Q.C.

MAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

OC ENGLINERA

7/11/2807

ERIC HESS